



Labs - Linux's advanced notions

Astier Guillaume, Lefebvre Loic, Morit Luca

10/10/2025



Contents

Math's commands	1
The flows	1
ReGex / Sed	2
Text file	2
Grep	2
Sed	3
Text file	3
Advanced ReGex	4
Bonus	4

Math's commands

- Perform the following calculation and redirect the stdout to a file named “calculation1.txt” : $10 + 24 - 5 / 11$
- Perform the previous calculation with 4 numbers after the decimal point and redirect the output to a file named “calculation2.txt”
- Compare the result
- Perform a sequence of numbers from 1 to 100 with a step of 6 and redirect the output to a file named “sequence1.txt”
- Perform the previous sequence and adapt the output format to separate numbers with ‘;’ and redirect the output on the “sequence1.txt” file (without deleting the previous sequence in the file)

The flows

- Redirect the stdout of the following command `echo -e "un\ndeux\ntrois\nquatre"` in a file named Count.txt
- Redirect the stdout of the following command `echo -e "cinq\nsix"` at the end of Count.txt file (don’t erase the content of the file !)
- Display the content of Count.txt in stdout
- Combine the two SHELL COMMAND cat and wc (redirect stdout of cat command in stdin of wc command) to count the number of lines in Count.txt
- With the SHELL command find, locate Count.txt

- With the precedent command redirect the stdout flow in LocateCountFile.txt file
- List files in a non existing directory and redirect stderr flow in /dev/null to get a clear result
- List files in a non existing directory and redirect stdout and stderr flows in KoList.txt
- Use the SHELL cat command to populate a file named MyLetter.txt with input (stdin) from the user and ending by the string “FIN” Example :

```
1  username@hostname:~$ cat [...]
2  >Hello,
3  >comment vas tu
4  >FIN
```

ReGex / Sed

Text file

- Put this content in the /home/isen/regex.txt file.

Toto loves titi
or so
TOTO LOVE TITI
and again
TOTO or Mr TOTO loves TITI Ms TITI
/NAME/ likes bash
I do not know what to say *To_Delete*
and you what do you mean?
/NAME/ toto /NAME/ titi /NAME/
toto titi toto titi toto titi to-ti

Grep

- Show lines contains the string “toto” with non case sensitivity
- Show lines that start with ‘/’
- Show lines that end with ‘?’
- Show lines that contain capital letters
- Show lines that contain an ‘A’ OR a ‘b’
- Show lines that contain an ‘A’ AND a ‘b’
- Show lines that have 2 ‘t’

Sed

- Replace the first occurrence in each line of the word TOTO by TITI
- Replace all '/NAME/' with your first name
- Delete all lines that contain 'To_Delete'
- Add a line containing 'ERROR' before each line which does not have a capital letter at the beginning
- Replace '?' by '!'
- Replace 'titi' by 'toto' and 'toto' by 'titi'

Text file

- Put this content in the /home/isen/advancedRegex.txt file.

Antoine Dupont

Léon Marchand

0687548965

Jean NEYMAR

BobMarley

6985478954

Baptiste& Serîn

jean.neymar@gmail.com

vincentlagaffe.outlook.com

078565321454

192.168.0.1

456.567.0.1

192.168.0.1.2

d8:43:ae:2e:03:01

987:43:ae:2e:03:01

Advanced ReGex

- Write the regex to check lines that contains Prenom and Name (Prenom and Name are strings separating with a space, containing only letters and strating with a capital letters)
- Write the regex to check lines that contains a phone number (Phone number is a string containing only 10 numbers and starting with “06” or “07”)
- Write the regex to check lines that contains an email address (Email address is a string containing identifier, provider and a domain respectfully separated by a “@” and “.”. Exemple : toto83@gmail.com)

Bonus

- Write the regex to check if a string is a @IP (4 digit separated with ‘.’, each digit is between 0 and 255)
- Write the regex to check if a string is a @MAC (6 digit separated with ‘:’, each digit is coded in hexa)